L Number	Hits	Search Text	DB	Time stamp
-	2	5352530.pn.	USPAT; EPO; JPO;	2004/01/21 15:33
_	2	5346766.pn.	DERWENT USPAT; EPO; JPO;	2004/01/21 15:34
_	2	5337132.pn.	DERWENT USPAT; EPO; JPO;	2004/01/21 15:35
-	2	5418208.pn.	DERWENT USPAT; EPO; JPO;	2004/01/21 15:35
-	2	5906905.pn.	DERWENT USPAT; EPO; JPO;	2004/01/21 15:43
_	25357	silver with halide with image	DERWENT USPAT; EPO; JPO;	2004/01/21 15:43
_	692	(silver with halide with image) and transparent with (polymer)	DERWENT USPAT; EPO; JPO;	2004/01/21 15:44
_	186	((silver with halide with image) and transparent with (polymer)) and adhesive	DERWENT USPAT; EPO; JPO;	2004/01/21 15:44
_	32	(((silver with halide with image) and transparent with (polymer)) and adhesive)	DERWENT USPAT; EPO; JPO;	2004/01/21 15:56
_	19	and (electroluminscent or electrode) ("1003720" "1191034" "2599542" "2681857" "2968554" "2983606" "3019124" "3138459" "3214274" "3519423" "3561358" "3776734" "3779775" "4092169" "4352874" "4353977" "4356257" "4359525"	DERWENT USPAT	2004/01/21 15:50
-	1182	"4359526").PN. (silver with halide with image) and adhesive and (transparent or clear or translucent)	USPAT; EPO; JPO;	2004/01/21 15:56
-	86	((silver with halide with image) and adhesive and (transparent or clear or translucent)) and (emboss or embossed or	DERWENT USPAT; EPO; JPO; DERWENT	2004/01/21 15:57
_	23	micro\$lembossed or embossing) ((silver with halide with image) and adhesive and (transparent or clear or translucent)) and ((emboss or embossed or micro\$lembossed or embossing) with (base	USPAT; EPO; JPO; DERWENT	2004/01/21 15:58
-	2	or support)) 6258494.pn.	USPAT; EPO; JPO;	2004/01/22 10:02
-	2	6338892.pn.	DERWENT USPAT; EPO; JPO;	2004/01/22 10:31
-	10909	silver with halide with image	DERWENT USPAT	2004/01/22
-	0	((silver with halide with image) and electroluminescent) and (embossed or micro\$lembossed or emboss)	USPAT	2004/01/22 10:33
-	26	(silver with halide with image) and electroluminescent	USPAT	2004/01/22 10:34
-	4171	image and (transparent with polymer) and (substrate or base or support)	USPAT	2004/01/22 10:35
-	7	(image and (transparent with polymer) and (substrate or base or support)) and (micro\$1embossing)	USPAT	2004/01/22 10:38
_	83685	silver with halide	USPAT; EPO; JPO; DERWENT	2004/01/22 10:38
-	3334	(silver with halide) and adhesive	USPAT; EPO; JPO; DERWENT	2004/01/22 10:38

Search History 1/22/04 4:30:31 PM

À	

	1 60	((silver with halide) and adhesive) and	USPAT;	2004/01/22
-	60	((base or substrate) same (embossed or	EPO; JPO;	10:59
		micro\$1embossed or emboss or embosing or	DERWENT	10.00
		micro\$1embossing))	DEKWENT	
_	24		USPAT	2004/01/22
	2.	"5436116" "5437969" "5445928"		10:42
		"5447831" "5455150" "5486450"		
		"5563026" "5679139" "5679140"		
		"5679141" "5679142" "5723263"		
		"5866282" "6030742" "6071654"		
		"6080532" "6093521" "6153351"		
1		"6159674" "6180328" "6197489").PN.		
-	1615	428/156.ccls.	USPAT;	2004/01/22
1			EPO; JPO;	10:59
1			DERWENT	
-	8	428/156.ccls. and silver with halide	USPAT;	2004/01/22
1			EPO; JPO;	11:01
			DERWENT	
] -	43855	silver with halide with layer	USPAT;	2004/01/22
			EPO; JPO;	11:01
			DERWENT	0004/05/00
-	24		USPAT;	2004/01/22
		with (embossed or emboss or embossable or	EPO; JPO;	11:06
		micro\$embossed or micro\$1embossing or	DERWENT	
	100000	micro\$1embossable))	Transm.	2004/01/22
-	126339	polymer with (substrate or base or	USPAT;	2004/01/22
		support)	EPO; JPO;	11:07
1_	27001	(nolymon with (substants on been an	DERWENT	2004/01/22
_	27901	(polymer with (substrate or base or	USPAT;	2004/01/22
		support)) and adhesive	EPO; JPO;	11:07
	6301	//noleman with /substrate on base on	DERWENT USPAT;	2004/01/22
-	6301	((polymer with (substrate or base or support)) and adhesive) and image	EPO; JPO;	11:07
İ		support) and addesive; and image	DERWENT	11:07
1_	11	(((polymer with (substrate or base or	USPAT;	2004/01/22
	1	support)) and adhesive) and image) and	EPO; JPO;	11:14
		(micro\$1embossed or micro\$1embossing or	DERWENT	11.14
		micro\$1embossed of micro\$1embossing of	DEKWENI	
<u>-</u>	222	428/156.ccls. and image	USPAT;	2004/01/22
	222	1207130.ccis. and image	EPO; JPO;	11:14
			DERWENT	
_	112	(428/156.ccls. and image) and adhesive	USPAT;	2004/01/22
		(,	EPO; JPO;	11:14
1			DERWENT	
-	89	((428/156.ccls. and image) and adhesive)	USPAT;	2004/01/22
		and (transparent or translucent or opaque		11:17
		or clear)	DERWENT	
-	2512	428/195.1.ccls.	USPAT;	2004/01/22
1			EPO; JPO;	11:17
			DERWENT	
-	1187	428/195.1.ccls. and adhesive	USPAT;	2004/01/22
			EPO; JPO;	11:17
			DERWENT	
-	173	1 '	USPAT;	2004/01/22
		(emboss or micro\$1embossed or embossed or	EPO; JPO;	11:18
Į		micro\$1emboss)	DERWENT	
[-	111	((428/195.1.ccls. and adhesive) and	USPAT;	2004/01/22
		(emboss or micro\$1embossed or embossed or	•	11:30
		micro\$1emboss)) and (transparent or	DERWENT	
	_	translucent or clear or opaque)		
-	2	5337132.pn.	USPAT;	2004/01/22
			EPO; JPO;	11:59
		/#2012067# #2014007# #4066000# ;	DERWENT	0004/07/00
-	13	'	USPAT	2004/01/22
		"4178096" "4470861" "4600669"		11:30
	1	"4686163" "4724026" "4868049"		
		"4949103" "5065183" "5108865"		
_	10	"5126797").PN.	Henam	2004/01/22
-	12	3813267.URPN.	USPAT	2004/01/22
L	L	<u> </u>	l	11:36

207 5	, ,		

-	387	Bourdelais.in.	USPAT; EPO; JPO;	2004/01/22 11:59
-	253	Bourdelais.in. and Robert.in.	DERWENT USPAT; EPO; JPO;	2004/01/22 12:02
_	0	(Bourdelais.in. and Robert.in.) and micro\$1embossed	DERWENT USPAT; EPO; JPO;	2004/01/22 12:01
	2.3	(Bourdelais.in. and Robert.in.) and emboss	DERWENT USPAT; EPO; JPO;	2004/01/22 12:01
_	32	(micro\$1embossed or micro\$1emboss) with (substrate or base or support)	DERWENT USPAT; EPO; JPO;	2004/01/22 12:03
-	24	((micro\$1embossed or micro\$1emboss) with (substrate or base or support)) and image	DERWENT USPAT; EPO; JPO;	2004/01/22 12:03
-	16	(((micro\$1embossed or micro\$1emboss) with (substrate or base or support)) and	DERWENT USPAT; EPO; JPO;	2004/01/22 12:06.
-	113	image) and polymer 355/\$.ccls. and (emboss or embossing or embossed)	DERWENT USPAT; EPO; JPO;	2004/01/22 12:06
-	36	(355/\$.ccls. and (emboss or embossing or embossed)) and adhesive	DERWENT USPAT; EPO; JPO;	2004/01/22 12:09
-	6	430/\$.ccls. and (micro\$1embossed or micro\$1embossing or micro\$1emboss)	DERWENT USPAT; EPO; JPO;	2004/01/22 12:15
-	38	(base or substrate) with (micro\$1embossed or micro\$1embossing or micro\$1emboss)	DERWENT USPAT; EPO; JPO;	2004/01/22 12:20
_	35	(Bourdelais.in. and Robert.in.) and (emboss or embossing or embossed)	DERWENT USPAT; EPO; JPO;	2004/01/22 12:38
	24	("4705745" "4746599" "4816378" "5436116" "5437969" "5445928" "5447831" "5455150" "5486450" "5563026" "5679139" "5679140" "5679141" "5679142" "5723263" "5866282" "6030742" "6071654" "6080532" "6093521" "6153351" "6159674" "6180328" "6197489").PN.	DERWENT USPAT	2004/01/22 12:27
-	2980	430/\$.ccls. and roughness	USPAT; EPO; JPO;	2004/01/22 12:38
-	39	(430/\$.ccls. and roughness) and emboss	DERWENT USPAT; EPO; JPO; DERWENT	2004/01/22 12:45
_	3551	428/195.1,207.ccls.	USPAT; EPO; JPO; DERWENT	2004/01/22 12:46
-	1235	428/195.1,207.ccls. and image	USPAT; EPO; JPO; DERWENT	2004/01/22 12:46
-	1105	(428/195.1,207.ccls. and image) and (base or substrate or support)	USPAT; EPO; JPO; DERWENT	2004/01/22 12:47
_	21	((428/195.1,207.ccls. and image) and (base or substrate or support)) and emboss	USPAT; EPO; JPO; DERWENT	2004/01/22 12:48
-	5	(((428/195.1,207.ccls. and image) and (base or substrate or support)) and emboss) and emboss with (base or substrate)	USPAT; EPO; JPO; DERWENT	2004/01/22 12:50
_	2705	image and ((base or substrate) with (emboss or roughness))	USPAT; EPO; JPO; DERWENT	2004/01/22 12:51
-	776	(image and ((base or substrate) with (emboss or roughness))) and adhesive	USPAT; EPO; JPO; DERWENT	2004/01/22 12:51

			T	T
-	470	((image and ((base or substrate) with	USPAT;	2004/01/22
		(emboss or roughness))) and adhesive) and	EPO; JPO;	13:31
		(transparent or clear or opaque or	DERWENT	
		translucent)		
l	15	("4100329" "4321937" "4610924"	USPAT	2004/01/22
	1	"4678742" "4870001" "4912333"	OSTAT	13:00
				13:00
		"5425990" "5466519" "5547821"		
		"5561034" "5597680" "5597681"		
		"5800973" "5902720" "5968722").PN.		
 -	6513	image and (polymer with base)	USPAT;	2004/01/22
İ			EPO; JPO;	13:31
				13.31
			DERWENT	0004/01/00
_	9	(image and (polymer with base)) and	USPAT;	2004/01/22
		(emboss with base)	EPO; JPO;	13:33
			DERWENT	
_	26	(micro\$embossed or micro\$1emboss) with	USPAT;	2004/01/22
		substrate	EPO; JPO;	13:34
		Japaciace	DERWENT	13.31
				2004/01/02
-	28	(micro\$embossed or micro\$1emboss) with	USPAT;	2004/01/22
		(base or substrate)	EPO; JPO;	13:38
	1		DERWENT	1
-	43855	silver with halide with layer	USPAT;	2004/01/22
			EPO; JPO;	13:39
	1			.
			DERWENT	0004/65/55
	228	(silver with halide with layer) and	USPAT;	2004/01/22
		(embossing or emboss or embossed)	EPO; JPO;	13:40
	1	· · · · · · · · · · · · · · · · · · ·	DERWENT	
_	l 0	((silver with halide with layer) and	USPAT;	2004/01/22
	"			1 ' '
	1	(embossing or emboss or embossed)) and	EPO; JPO;	13:40
		microprismatic	DERWENT	
-	182		USPAT;	2004/01/22
	1	(embossing or emboss or embossed)) and	EPO; JPO;	13:41
	1	polymer	DERWENT	
	149		USPAT;	2004/01/22
-	149			
		(embossing or emboss or embossed)) and	EPO; JPO;	13:50
		micro\$5	DERWENT	
-	1	((silver with halide with layer) and	USPAT;	2004/01/22
		(embossing or emboss or embossed)) and	EPO; JPO;	13:43
		(micro\$1embossed or micro\$1embossing or	DERWENT	
		microprismatic)	THE STATE OF THE S	
	2257140		Hans m.	2004/01/00
-	2357148	image or emulsion	USPAT;	2004/01/22
			EPO; JPO;	13:50
			DERWENT	
-	1178	(image or emulsion) and ((emboss or	USPAT;	2004/01/22
	11,3	roughness) with base)	EPO; JPO;	13:51
		Todginiess/ with Dase/		10.01
	1	1	DERWENT	0004/01/00
-	160	((image or emulsion) and ((emboss or	USPAT;	2004/01/22
	1	roughness) with base)) and (photography	EPO; JPO;	13:53
		or photograph)	DERWENT	
-	40	(((image or emulsion) and ((emboss or	USPAT;	2004/01/22
		roughness) with base)) and (photography	EPO; JPO;	14:03
				13.00
		or photograph)) and emboss	DERWENT	
_	27	(micro\$1embossed or micro\$1embossing)	USPAT;	2004/01/22
		with (plastic or polymer)	EPO; JPO;	14:08
			DERWENT	
_	76	(Bourdelais.in. and Robert.in.) and	USPAT;	2004/01/22
	Ι , , ,	roughness	EPO; JPO;	14:13
		Louginiess		13.13
	_		DERWENT	
~	0	(micro\$1embossed with polymer) with	USPAT;	2004/01/22
	1	image	EPO; JPO;	14:14
<u> </u>			DERWENT	
_	7	micro\$1embossed with polymer	USPAT;	2004/01/22
	l ',	wrond formonned when bondmen	·	
			EPO; JPO;	14:15
]			DERWENT	
-	108	(embossed or emboss or embossments or	USPAT;	2004/01/22
		embossing) with base with polymer	EPO; JPO;	14:16
		<u>. </u>	DERWENT	
_	13	((embossed or emboss or embossments or	USPAT;	2004/01/22
	13			1
		embossing) with base with polymer) and	EPO; JPO;	14:19
		image	DERWENT	

-	326	photograph and emboss	USPAT;	2004/01/22
			EPO; JPO;	14:19
1			DERWENT	
-	0	"326" and micro\$1emboss	USPAT;	2004/01/22
			EPO; JPO;	14:19
			DERWENT	
-	1	(photograph and emboss) and micro\$1emboss	USPAT;	2004/01/22
			EPO; JPO;	14:20
			DERWENT	
-	62	(photograph and emboss) and emboss with	USPAT;	2004/01/22
		(base or substrate)	EPO; JPO;	14:21
			DERWENT	